

SOLAR CONTROLLER MEC11050LN

DESCRIPTION:

A Multitask Electronics solar controller is a small box consisting of solid state circuitry that is placed between a solar panel and a battery. Its function is to regulate the amount of charge coming from the panel that flows into the deep cycle battery bank in order to avoid the batteries being overcharged. A controller can also provide a direct connection to appliances, while continuing to recharge the battery.




3 years


RoHS (E

♦ FEATURES:

- PWM Charging: high charge efficiency and greatly extends the battery life.
- •MOSFET as Electronic Switch: makes the controller a longer life.
- •Protection Functions: makes the system be more secure and reliable, includes overcharge protection, deep discharge protection, reverse polarity protection of module/battery/load, short circuit protection of module/load, open circuit protection without battery, over-temperature protection, battery overvoltage shutdown.
- LCD Display: real-time shows the system status of charging, discharging and fault.
- •Sufficient Design Margin: maximum capacity exceeds 20% as the rated current/power, which makes the system more secure.
- •Intelligent Cooling Fans: it is controlled by the real-time heat sink's temperature, which makes the fan a longer life and saving energy.
- Metal Case: after spray treatment, the controller is more beautiful and durable.

♦ APPEARANCE:










◆TECHNICAL PARAMETERS:

Model		MEC11050LN
	Rated Voltage	108V
System	Rated Current	50A
Specifications	Float Voltage	125V
	Idle Draw	≤70mA
Input	Max Current On Charging	50A
	Max Open Voltage	400V
Output	Max Load Current	/
	Over charge	131V±1V
	Over discharge Protection(V)	98V±1V
Protection	Over discharge Resumption(V)	112V±1V
Function	Over-voltage Protection(V)	/
	Over-voltage Over-voltage	/
	Reverse Polarity	Yes
	Short Circuit	Yes
	Working Temperature	-20~70°C
	Storage Temperature	-35~80°C
	Temperature Compensation	-4mV/2V/°C
	D isplay	LCD
Other Data	Operating Altitude(m)	≤5000m
	Product Size	428.6mm×254.5mm×150mm
	Packing Size	433mm×259mm×154mm
55	Product Weight	7500g
	Packing Weight	7800g

♦INSTALLATION DIAGRAM:



PV Array

